

# ***Deploying and using the Wellbore Flex Program***

02/08/2011 Chuck Borchert, NOGCC

## ***Deployment***

- Unzip WellboreNE.zip to a directory on the same webserver that the service is running on. If you want to run it from a different webserver than the service is on, let me know there is a special file needed on the service server to allow this.
- Edit the wellBoreConfig.xml file to set it up for your environment. The elements are as follows:

destination: only used for RemoteObject services

gateway: only used for RemoteObject services

source: only used for RemoteObject services

googleAppID: In order to use the google map feature, enter your google maps appID here

serviceType: WS for web services RO for remote object

wSDL: enter the wSDL url of the web service here

showDataURL: The show data button will launch the url entered here with the currently selected api no in a new window. Used in NY to show a dump of the well data, but could be any web app that takes the apiNo as a parameter.

## ***Using***

- The application is intended to be called from a web application with the well's api number as a url variable. It can also be used in a demo mode. If called without an api no, it will read in a file named wellList.txt, load the first well listed in the file and put up to 80 api nos into a menu, from which they can be loaded. This file should contain a list of up to 80 api numbers one per line.
- The following url parameters are supported (they are case sensitive) :

apiNo: The api no of the well to display. If omitted the wellList file is read

noMap: If included in the url and set to true, will remove the map from the display

noLegend: If included in the url and set to true, will remove the legend from the display

allowShowData: If included in the url and set to true, will add the show data button to the legend. Requires noLegend to be false;

example url:

<http://server.com//WellboreCanvas.html?apiNo=234567890&noMap=true&allowShowData=true>